



## Medical Pharmacy Drug Prior Authorization Criteria

<b>Drug Trade Name:</b>	Orencia	<b>Drug Generic Name:</b>	Abatacept
<b>J Code:</b>	Jo129 (IV, SUBQ)	<b>1 billable unit =</b>	10 mg
<b>Original Date of Review:</b>	12/7/2022	<b>Last Reviewed:</b>	6/12/2024
<b>Revision Date History</b>	12/7/2022, 8/30/2023, 6/12/2024		

Abatacept, a selective costimulation modulator, inhibits T cell (T lymphocyte) activation by binding to CD80 and CD86, thereby blocking interaction with CD28. This interaction provides a costimulatory signal necessary for full activation of T lymphocytes. Activated T lymphocytes are implicated in the pathogenesis of RA, pJIA and PsA and are found in the synovium of patients with RA, pJIA and PsA.

**Criteria:**

- **Length of authorization:**
  - **Initial:** 6 months
  - **Renewal:** for up to 12 months
  - Therapy for the Management of Immune-Checkpoint Inhibitor Related Toxicity and Prophylaxis for Acute Graft Versus Host Disease (GVHD) may not be renewed.
- **Age: see below for product specific requirements**
- **Diagnoses:**
  - Rheumatoid Arthritis (Moderate to Severe)
  - Polyarticular Juvenile Idiopathic Arthritis, Active (Moderate to Severe)
  - Psoriatic Arthritis
  - Treatment of Chronic Graft Versus Host Disease
  - Prophylaxis of Acute Graft Versus Host Disease
  - Management of Immune Checkpoint Inhibitor Related Toxicity (IV formulation only)
- **Quantity Limit:**
  - Orencia ClickJect 125 mg autoinjector: 4 syringes per 28 days
  - Orencia prefilled syringes (50 mg, 87.5 mg, or 125 mg): 4 syringes per 28 days
  - Orencia 250 mg single-dose vials:
    - Management of Immune-Checkpoint Inhibitor Related Toxicity
      - 2 vials every 14 days for a total for 5 doses
    - Prophylaxis for Acute GVHD
      - 4 vials for a total for 4 doses
    - All other indications
      - Loading: 4 vials (1000 mg) at weeks 0, 2 & 4
      - Maintenance: 4 vials (1000 mg) per 28 days
- **Maximum Units:**

<b>Indication</b>	<b>Billable Units</b>	<b>Per Number of Days</b>
Management of Immune-Checkpoint Inhibitor Related Toxicity	50	per 2 weeks for a total of 5 doses

Prophylaxis for Acute GVHD	100	for a total of 4 doses
All other indications	Loading: 100	at weeks 0, 2, & 4
	Maintenance: 100	per 4 weeks

- **Initial Approval Criteria**

- **Universal Criteria**

- Patient is at least 18 years of age (unless otherwise specified); **AND**
    - Patient is up to date with all age-appropriate vaccinations, in accordance with current vaccination guidelines, prior to initiating therapy; **AND**
    - Patient has been evaluated and screened for the presence of hepatitis B virus (HBV) prior to initiating treatment; **AND**
    - Patient has been evaluated and screened for the presence of latent tuberculosis (TB) infection prior to initiating treatment and will receive ongoing monitoring for the presence of TB during treatment; **AND**
    - Provider attests that the patient will be screened for active infection, including clinically important localized infections, prior to each administration of this medication; **AND**
    - Patient will not receive live vaccines during therapy; **AND**
    - Patient is not on concurrent treatment with another TNF-inhibitor, biologic response modifier or other non-biologic immunomodulating agent (i.e., apremilast, tofacitinib, baricitinib, upadacitinib, etc.); **AND**

- **Indication Specific Criteria**

- **Rheumatoid Arthritis**

- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
      - Documented moderate to severe active disease; **AND**
      - Patient has had at least a 3 month trial and failed previous therapy with ONE (1) oral disease modifying anti-rheumatic agent (DMARD) such as methotrexate, azathioprine, auranofin, hydroxychloroquine, penicillamine, sulfasalazine, leflunomide, etc.; **AND**
      - May be used as a single agent or in combination with other non-biologic DMARDs (e.g., methotrexate, hydroxychloroquine, leflunomide, sulfasalazine, etc.)

- **Polyarticular Juvenile Idiopathic Arthritis**

- Patient is at least 2 years of age (6 years of age for the IV formulation); **AND**
      - Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
      - Documented moderate to severe active polyarticular disease; **AND**
      - Patient has had at least a 1-month trial and failure (unless contraindicated or intolerant) of previous therapy with either oral non-steroidal anti-inflammatory drugs (NSAIDs) OR an oral disease-modifying anti-rheumatic agent (DMARD) (e.g., methotrexate, leflunomide, sulfasalazine, etc.); **AND**
      - May be used as single agent or in combination with methotrexate

- **Psoriatic Arthritis**

- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
      - Documented moderate to severe active disease; **AND**

- For patients with predominantly axial disease OR active enthesitis, a trial and failure of at least a 4 week trial of ONE (1) non-steroidal anti-inflammatory agents (NSAIDs), unless use is contraindicated; **OR**
- For patients with peripheral arthritis or dactylitis, a trial and failure of at least a 3 month trial of ONE (1) oral disease-modifying anti-rheumatic drug (DMARD) such as methotrexate, azathioprine, sulfasalazine, hydroxychloroquine, etc.; **AND**
- May be used as a single agent or in combination with other non-biologic DMARDs (e.g. methotrexate, hydroxychloroquine, leflunomide, sulfasalazine, etc.)
- **Graft Versus Host Disease (GVHD)**
  - Patient has received a hematopoietic stem cell transplant (HSCT); **AND**
    - Used as additional therapy in combination with corticosteroids for chronic GVHD; **AND**
    - Patient has no response (e.g., steroid-refractory disease) to first-line therapy options; **OR**
  - Patient is undergoing a hematopoietic stem cell transplant (HSCT) from a matched or 1 allele-mismatched unrelated-donor; **AND**
    - Used for prophylaxis of acute graft versus host disease (IV formulation only) †; **AND**
    - Patient is at least 2 years of age; **AND**
    - Used in combination with a calcineurin inhibitor and methotrexate; **AND**
    - Patient will receive antiviral prophylactic treatment for Epstein-Barr Virus (EBV) reactivation and prophylaxis will continue for 6 months post-transplantation; **AND**
    - Patient will be monitored for both EBV reactivation and cytomegalovirus (CMV) infection/reactivation
- **Management of Immune Checkpoint Inhibitor Related Toxicity**  
(*IV formulation only*)
  - Patient has been receiving therapy with an immune checkpoint inhibitor (e.g., nivolumab, pembrolizumab, atezolizumab, avelumab, durvalumab, cemiplimab, ipilimumab, dostarlimab, etc.); **AND**
  - Patient has had no improvement within 24-48 hours of starting pulse-dose methylprednisolone; **AND**
  - Used as additional therapy for the management of myocarditis
- **Renewal Criteria**
  - **Universal Renewal Criteria**
    - Patient continues to meet the universal and other indication-specific relevant criteria identified in section III; **AND**
    - Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: serious infections, severe hypersensitivity reactions, respiratory adverse events in those with predisposing conditions, reactivation of CMV or EBV, etc.; **AND**
  - **Indication Specific Renewal Criteria**
    - **Rheumatoid Arthritis**
      - Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C

reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g. an improvement on a composite scoring index such as Disease Activity Score-28 (DAS28) of 1.2 points or more or a  $\geq 20\%$  improvement on the American College of Rheumatology-20 (ACR20) criteria].

- **Polyarticular Juvenile Idiopathic Arthritis**
  - Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g. an improvement on a composite scoring index such as Juvenile Arthritis Disease Activity Score (JADAS) or the American College of Rheumatology (ACR) Pediatric (ACR-Pedi 30) of at least 30% improvement from baseline in three of six variables].
- **Psoriatic Arthritis**
  - Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts and/or an improvement on a disease activity scoring tool [e.g. defined as an improvement in at least 2 of the 4 Psoriatic Arthritis Response Criteria (PsARC), 1 of which must be joint tenderness or swelling score, with no worsening in any of the 4 criteria.]
- **Treatment of Chronic Graft Versus Host Disease**
  - Response to therapy with an improvement in one or more of the following:
    - Clinician assessments (e.g., NIH Skin Score, Upper GI Response Score, NIH Lung Symptom Score, etc.)
    - Patient-reported symptoms (e.g., Lee Symptom Scale, etc.)
- **Prophylaxis of Acute Graft Versus Host Disease**
  - May not be renewed
- **Management of Immune Checkpoint Inhibitor Related Toxicity**
  - May not be renewed

- **Dosage/Administration**

<b>Orencia</b>	
<b>Indication</b>	<b>Dose</b>
Rheumatoid Arthritis	<u>Intravenous Dosing</u> <ul style="list-style-type: none"> <li>• Weight &lt; 60kg:               <ul style="list-style-type: none"> <li>○ 500 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight 60 to 100 kg:               <ul style="list-style-type: none"> <li>○ 750 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight &gt; 100 kg:               <ul style="list-style-type: none"> <li>○ 1,000 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> </ul> <u>Subcutaneous Dosing (Orencia ClickJect® or Orencia prefilled syringes)</u> <ul style="list-style-type: none"> <li>• Administer 125 mg by subcutaneous injection once weekly</li> </ul>

	<ul style="list-style-type: none"> <li>○ May initiate with or without an IV loading dose</li> <li>○ If initiated with an IV loading dose, a single weight-based infusion(see below) should be followed by the first 125 mg subcutaneous injection within a day <ul style="list-style-type: none"> <li>○ Weight &lt; 60 kg: 500 mg</li> <li>○ Weight 60 to 100 kg: 750 mg</li> <li>○ Weight &gt;100 kg: 1,000 mg</li> </ul> </li> </ul> <p>Patients transitioning from Orenzia intravenous therapy to subcutaneous administration should administer the first subcutaneous dose instead of thenext scheduled intravenous dose.</p>
Psoriatic Arthritis	<p><u>Intravenous Dosing</u></p> <ul style="list-style-type: none"> <li>• Weight &lt; 60kg: <ul style="list-style-type: none"> <li>○ 500 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight 60 to 100 kg: <ul style="list-style-type: none"> <li>○ 750 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight &gt; 100 kg: <ul style="list-style-type: none"> <li>○ 1,000 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> </ul> <p><u>Subcutaneous Dosing (Orenzia ClickJect® or Orenzia prefilled syringes)</u></p> <ul style="list-style-type: none"> <li>• Administer 125 mg by subcutaneous injection once weekly <ul style="list-style-type: none"> <li>○ No IV loading dose is needed</li> </ul> </li> </ul> <p>Patients transitioning from Orenzia intravenous therapy to subcutaneous administration should administer the first subcutaneous dose instead of thenext scheduled intravenous dose</p>
Polyarticular Juvenile Idiopathic Arthritis	<p><u>Intravenous Dosing (patients aged 6 years or older ONLY)</u></p> <ul style="list-style-type: none"> <li>• Weight &lt; 75 kg: <ul style="list-style-type: none"> <li>○ 10 mg/kg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight 75 to 100 kg: <ul style="list-style-type: none"> <li>○ 750 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> <li>• Weight &gt; 100 kg: <ul style="list-style-type: none"> <li>○ 1,000 mg at weeks 0, 2, &amp; 4, then every 4 weeks thereafter</li> </ul> </li> </ul> <p><u>Subcutaneous Dosing using prefilled syringes ONLY (patients aged 2 years or older)</u></p> <ul style="list-style-type: none"> <li>• Weight 10 to &lt; 25 kg: 50 mg weekly</li> <li>• Weight 25 to &lt; 50 kg: 87.5 mg weekly</li> <li>• Weight ≥ 50 kg: 125 mg weekly</li> </ul>
Treatment of Chronic GVHD	<p><u>Intravenous/Subcutaneous Dosing</u></p> <ul style="list-style-type: none"> <li>• Up to 10 mg/kg (with a maximum dose of 1,000mg) at weeks 0, 2, &amp; 4, then every 4 weeks thereafter until disease progression or unacceptabletoxicity</li> </ul>

Prophylaxis for Acute GVHD	<u>Intravenous Dosing</u> <ul style="list-style-type: none"> <li>• Patients ≥ 6 years old: 10 mg/kg (with a maximum dose of 1,000 mg) on the day before transplantation (Day -1), followed by administration on Days 5, 14, and 28 after transplantation</li> <li>• Patients 2 to &lt; 6 years old: 15 mg/kg on the day before transplantation (Day -1), followed by 12 mg/kg on Days 5, 14, and 28 after transplantation</li> </ul>
Management of Immune Checkpoint Inhibitor Related Toxicity	<u>Intravenous Dosing</u> 500 mg every 2 weeks for a total of 5 doses

**NDC:**

- Orencia 250 mg single-dose vial: 00003-2187-xx
- Orencia 125 mg/mL ClickJect Autoinjector: 00003-2188-xx
- Orencia 50 mg/0.4 mL prefilled syringe: 00003-2814-xx
- Orencia 87.5 mg/0.7 mL prefilled syringe: 00003-2818-xx
- Orencia 125 mg/mL prefilled syringe: 00003-2188-xx

**References:**

1. Orencia [package insert]. Princeton, NJ; Bristol-Myers Squibb; December 2021. Accessed October 2022.
2. Singh JA, Saag KG, Bridges SL Jr, et al. 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. *Arthritis Care Res (Hoboken)*. 2015 Nov 6. doi: 10.1002/acr.22783.
3. Beukelman T, Patkar NM, Saag KG, et al. 2011 American College of Rheumatology recommendations for the treatment of juvenile idiopathic arthritis: initiation and safety monitoring of therapeutic agents for the treatment of arthritis and systemic features. *Arthritis Care Res (Hoboken)*. 2011 Apr;63(4):465-82.
4. Ringold S, Weiss PF, Beukelman T, et al. 2013 update of the 2011 American College of Rheumatology recommendations for the treatment of juvenile idiopathic arthritis: recommendations for the medical therapy of children with systemic juvenile idiopathic arthritis and tuberculosis screening among children receiving biologic medications. *Arthritis Rheum*. 2013 Oct;65(10):2499-512.
5. DeWitt EM, Kimura Y, Beukelman T, et al. Consensus treatment plans for new-onset systemic juvenile idiopathic arthritis. *Arthritis Care Res (Hoboken)*. 2012 Jul;64(7):1001-10.
6. Gottlieb A, Korman NJ, Gordon KB, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics. *J Am Acad Dermatol* 2008 May;58(5):851-64.
7. Gossec L, Smolen JS, Ramiro S, et al. European League Against Rheumatism (EULAR) recommendations for the management of psoriatic arthritis with pharmacological therapies: 2015 update. *Ann Rheum Dis*. 2015 Dec 7. pii: annrheumdis-2015-208337. doi: 10.1136/annrheumdis-2015-208337.
8. Smolen JS, Landewe R, Bijlsma J, et al. EULAR recommendations for the management of

- rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs:2016 update. *Ann Rheum Dis.* 2017; 76: 935-938.
9. National Institute for Health and Care Excellence. NICE 2018. Rheumatoid Arthritis in Adults: Management. Published 11th July 2018. NICE Guideline [NG100]. <https://www.nice.org.uk/guidance/ng100/chapter/Recommendations>.
  10. National Institute for Health and Care Excellence. NICE 2010. Adalimumab, etanercept, infliximab, rituximab and abatacept for the treatment of rheumatoid arthritis after failure of a TNF inhibitor. Published 10 October 2012. Clinical Guideline [TA195]. <https://www.nice.org.uk/guidance/ta195/resources/adalimumab-etanercept-infliximab-rituximab-and-abatacept-for-the-treatment-of-rheumatoid-arthritis-after-the-failure-of-a-tnf-inhibitor-pdf-82598558287813>.
  11. Ward MM, Guthri LC, Alba MI. Rheumatoid Arthritis Response Criteria And Patient- Reported Improvement in Arthritis Activity: Is an ACR20 Response Meaningful to Patients”. *Arthritis Rheumatol.* 2014 Sep; 66(9): 2339–2343. doi: 10.1002/art.38705
  12. Ringold S, Bittner R, Neggi T, et al. Performance of rheumatoid arthritis disease activity measures and juvenile arthritis disease activity scores in polyarticular-course juvenile idiopathic arthritis: Analysis of their ability to classify the American College of Rheumatology pediatric measures of response and the preliminary criteria for flare and inactive disease. *Arthritis Care Res (Hoboken).* 2010 Aug;62(8):1095-102.
  13. Consolaro A, Giancane G, Schiappapietra B, et al. Clinical outcome measures in juvenile idiopathic arthritis. *Pediatric Rheumatology* 18 April 2016 14:23.
  14. National Institute for Health and Care Excellence. NICE 2017. Certolizumab pegol and secukinumab for treating active psoriatic arthritis after inadequate response to DMARDs. Published 24 May 2017. Technology Appraisal Guidance [TA445]. <https://www.nice.org.uk/guidance/ta445>. Accessed July 2022.
  15. Ogdie A, Singh JA, Siegel E, Gladman DD, Husni ME. Treatment of psoriatic arthritis: a new ACR/NPF clinical guideline. Presented at: 2017 ACR/ARHP Annual Meeting; November 3-8, 2017; San Diego, CA. Scientific Session 5T064.
  16. Ringold S, Angeles-Han ST, Beukelman T, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Treatment of Juvenile Idiopathic Arthritis: Therapeutic Approaches for Non-Systemic Polyarthritis, Sacroiliitis, and Enthesitis. *Arthritis Care & Research*, Vol. 71, No. 6, June 2019, pp 717–734 DOI 10.1002/acr.23870.
  17. Menter A, Strober BE, Kaplan DH, et al. Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with biologics. *J Am Acad Dermatol* <https://doi.org/10.1016/j.jaad.2018.11.057>.
  18. Singh JA, Guyatt G, Ogdie A, et al. 2018 American College of Rheumatology/National Psoriasis Foundation Guideline for the Treatment of Psoriatic Arthritis. *Arthritis Rheumatol.* 2019 Jan;71(1):5-32. Doi: 10.1002/art.40726.
  19. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) abatacept. National Comprehensive Cancer Network, 2022. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE

CANCER NETWORK<sup>®</sup>, NCCN<sup>®</sup>, and NCCN GUIDELINES<sup>®</sup> are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed July 2022.

20. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium<sup>®</sup>) Hematopoietic Cell Transplantation (HCT). Version 1.2022. National Comprehensive Cancer Network, 2022. The NCCN Compendium<sup>®</sup> is a derivative work of the NCCN Guidelines<sup>®</sup>. NATIONAL COMPREHENSIVE CANCER NETWORK<sup>®</sup>, NCCN<sup>®</sup>, and NCCN GUIDELINES<sup>®</sup> are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed July 2022.
21. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium<sup>®</sup>) Management of Immunotherapy-Related Toxicities. Version 1.2022. National Comprehensive Cancer Network, 2022. The NCCN Compendium<sup>®</sup> is a derivative work of the NCCN Guidelines<sup>®</sup>. NATIONAL COMPREHENSIVE CANCER NETWORK<sup>®</sup>, NCCN<sup>®</sup>, and NCCN GUIDELINES<sup>®</sup> are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed July 2022.
22. Nahas MR, Soiffer RJ, Kim HT, et al. Phase 1 clinical trial evaluating abatacept in patients with steroid-refractory chronic graft-versus-host disease. *Blood*. 2018;131(25):2836-2845. doi:10.1182/blood-2017-05-780239.
23. Salem JE, Allenbach Y, Vozy A, et al. Abatacept for Severe Immune Checkpoint Inhibitor-Associated Myocarditis. *N Engl J Med*. 2019;380(24):2377-2379. doi:10.1056/NEJMc1901677.
24. Vital EM, Emery P. Abatacept in the treatment of rheumatoid arthritis. *Ther Clin Risk Manag*. 2006;2(4):365-375. doi:10.2147/tcrm.2006.2.4.365.
25. Ruperto N, Lovell DJ, Quartier P, et al. Long-term safety and efficacy of abatacept in children with juvenile idiopathic arthritis. *Arthritis Rheum*. 2010;62(6):1792-1802. doi:10.1002/art.27431.
26. Mease P, Genovese MC, Gladstein G, et al. Abatacept in the treatment of patients with psoriatic arthritis: results of a six-month, multicenter, randomized, double-blind, placebo-controlled, phase II trial. *Arthritis Rheum*. 2011;63(4):939-948. doi:10.1002/art.30176.
27. Smolen JS, Landewé RBM, Bijlsma JWJ, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. *Annals of the Rheumatic Diseases* 2020;79:685-699.
28. American Academy of Dermatology Work Group. Guidelines of care for the management of psoriasis and psoriatic arthritis: section 6. Guidelines of care for the treatment of psoriasis and psoriatic arthritis: case-based presentations and evidence-based conclusions. *J Am Acad Dermatol*. 2011 Jul;65(1):137-74.
29. Ramiro S, Smolen JS, Landewé R, et al. Pharmacological treatment of psoriatic arthritis: a systematic literature review for the 2015 update of the EULAR recommendations for the management of psoriatic arthritis. *Ann Rheum Dis* 2016;75:490-498 doi:10.1136/annrheumdis-2015-208466.



30. Fraenkel L, Bathon JM, England BR, et al. 2021 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. *Arthritis Care Res (Hoboken)*. 2021Jun 8. doi: 10.1002/acr.24596.
31. Genovese MC, Covarrubias A, Leon G, et al. Subcutaneous abatacept versus intravenous abatacept: a phase IIIb noninferiority study in patients with an inadequate response to methotrexate. *Arthritis Rheum*. 2011;63(10):2854-2864. doi:10.1002/art.30463.
32. Brunner HI, Tzaribachev N, Vega-Cornejo G, et al. Subcutaneous Abatacept in Patients With Polyarticular-Course Juvenile Idiopathic Arthritis: Results From a Phase III Open-Label Study. *Arthritis Rheumatol*. 2018;70(7):1144-1154. doi:10.1002/art.40466.
33. Gossec L, Baraliakos X, Kerschbaumer A, et al. EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2019 update. *Ann RheumDis*. 2020 Jun;79(6):700-712. doi: 10.1136/annrheumdis-2020-217159.
34. Mease PJ. Measures of psoriatic arthritis: Tender and Swollen Joint Assessment, Psoriasis Area and Severity Index (PASI), Nail Psoriasis Severity Index (NAPSI), Modified Nail Psoriasis Severity Index (mNAPSI), Mander/Newcastle Enthesitis Index (MEI), Leeds Enthesitis Index (LEI), Spondyloarthritis Research Consortium of Canada (SPARCC), Maastricht Ankylosing Spondylitis Enthesis Score (MASSES), Leeds Dactylitis Index (LDI), Patient Global for Psoriatic Arthritis, Dermatology Life Quality Index (DLQI), Psoriatic Arthritis Quality of Life (PsAQOL), Functional Assessment of Chronic Illness Therapy- Fatigue (FACIT-F), Psoriatic Arthritis Response Criteria (PsARC), Psoriatic Arthritis JointActivity Index (PsAJAI), Disease Activity in Psoriatic Arthritis (DAPSA), and Composite Psoriatic Disease Activity Index (CPDAI). *Arthritis Care Res (Hoboken)*. 2011 Nov;63 Suppl11:S64-85. doi: 10.1002/acr.20577.
35. Watkins B, Qayed M, McCracken C, et al. Phase II Trial of Costimulation Blockade With Abatacept for Prevention of Acute GVHD. *Journal of Clinical Oncology*. Volume 39, Issue 17
36. Kean L, Burns L, Kou T, et al. Improved Overall Survival of Patients Treated with Abatacept in Combination with a Calcineurin Inhibitor and Methotrexate Following 7/8 HLA-Matched Unrelated Allogeneic Hematopoietic Stem Cell Transplantation: Analysis of the Center for International Blood and Marrow Transplant Research Database. *Blood* (2021) 138 (Supplement 1): 3912. <https://doi.org/10.1182/blood-2021-150742>.

## Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
D89.810	Acute graft-versus-host disease
D89.811	Chronic graft-versus-host disease
D89.812	Acute on chronic graft-versus-host disease
D89.813	Graft-versus-host disease, unspecified
I30.8	Other forms of acute pericarditis
I30.9	Acute pericarditis, unspecified
I40.8	Other acute myocarditis
I40.9	Acute myocarditis, unspecified
I44.0	Atrioventricular block, first degree
I44.1	Atrioventricular block, second degree
I44.2	Atrioventricular block, complete
I44.3	Other and unspecified atrioventricular block
I44.30	Unspecified atrioventricular block
I44.39	Other atrioventricular block
I45.0	Right fascicular block
I45.10	Unspecified right bundle-branch block
I45.19	Other right bundle-branch block
I45.2	Bifascicular block
I45.3	Trifascicular block
I45.4	Nonspecific intraventricular block
I45.5	Other specified heart block
I45.6	Pre-excitation syndrome
I45.81	Long QT syndrome
I45.89	Other specified conduction disorders
I45.9	Conduction disorder, unspecified
I47.0	Re-entry ventricular arrhythmia
I47.2	Ventricular tachycardia
I49.9	Cardiac arrhythmia, unspecified
I50.9	Heart failure, unspecified
L40.50	Arthropathic psoriasis, unspecified
L40.51	Distal interphalangeal psoriatic arthropathy
L40.52	Psoriatic arthritis mutilans
L40.53	Psoriatic spondylitis
L40.59	Other psoriatic arthropathy
M05.10	Rheumatoid lung disease with rheumatoid arthritis of unspecified site

M05.111	Rheumatoid lung disease with rheumatoid arthritis of right shoulder
M05.112	Rheumatoid lung disease with rheumatoid arthritis of left shoulder
M05.119	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder
M05.121	Rheumatoid lung disease with rheumatoid arthritis of right elbow
M05.122	Rheumatoid lung disease with rheumatoid arthritis of left elbow
M05.129	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow
M05.131	Rheumatoid lung disease with rheumatoid arthritis of right wrist
M05.132	Rheumatoid lung disease with rheumatoid arthritis of left wrist
M05.139	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist
M05.141	Rheumatoid lung disease with rheumatoid arthritis of right hand
M05.142	Rheumatoid lung disease with rheumatoid arthritis of left hand
M05.149	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand
M05.151	Rheumatoid lung disease with rheumatoid arthritis of right hip
M05.152	Rheumatoid lung disease with rheumatoid arthritis of left hip
M05.159	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip
M05.161	Rheumatoid lung disease with rheumatoid arthritis of right knee
M05.162	Rheumatoid lung disease with rheumatoid arthritis of left knee
M05.169	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee
M05.171	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot
M05.172	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot
M05.179	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot
M05.19	Rheumatoid lung disease with rheumatoid arthritis of multiple sites
M05.20	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site
M05.211	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder
M05.212	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder
M05.219	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder
M05.221	Rheumatoid vasculitis with rheumatoid arthritis of right elbow
M05.222	Rheumatoid vasculitis with rheumatoid arthritis of left elbow
M05.229	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow
M05.231	Rheumatoid vasculitis with rheumatoid arthritis of right wrist
M05.232	Rheumatoid vasculitis with rheumatoid arthritis of left wrist
M05.239	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist
M05.241	Rheumatoid vasculitis with rheumatoid arthritis of right hand
M05.242	Rheumatoid vasculitis with rheumatoid arthritis of left hand
M05.249	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand
M05.251	Rheumatoid vasculitis with rheumatoid arthritis of right hip
M05.252	Rheumatoid vasculitis with rheumatoid arthritis of left hip
M05.259	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip
M05.261	Rheumatoid vasculitis with rheumatoid arthritis of right knee

M05.262	Rheumatoid vasculitis with rheumatoid arthritis of left knee
M05.269	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee
M05.271	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot
M05.272	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot
M05.279	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot
M05.29	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites
M05.30	Rheumatoid heart disease with rheumatoid arthritis of unspecified site
M05.311	Rheumatoid heart disease with rheumatoid arthritis of right shoulder
M05.312	Rheumatoid heart disease with rheumatoid arthritis of left shoulder
M05.319	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder
M05.321	Rheumatoid heart disease with rheumatoid arthritis of right elbow
M05.322	Rheumatoid heart disease with rheumatoid arthritis of left elbow
M05.329	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow
M05.331	Rheumatoid heart disease with rheumatoid arthritis of right wrist
M05.332	Rheumatoid heart disease with rheumatoid arthritis of left wrist
M05.339	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist
M05.341	Rheumatoid heart disease with rheumatoid arthritis of right hand
M05.342	Rheumatoid heart disease with rheumatoid arthritis of left hand
M05.349	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand
M05.351	Rheumatoid heart disease with rheumatoid arthritis of right hip
M05.352	Rheumatoid heart disease with rheumatoid arthritis of left hip
M05.359	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip
M05.361	Rheumatoid heart disease with rheumatoid arthritis of right knee
M05.362	Rheumatoid heart disease with rheumatoid arthritis of left knee
M05.369	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee
M05.371	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot
M05.372	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot
M05.379	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot
M05.39	Rheumatoid heart disease with rheumatoid arthritis of multiple sites
M05.40	Rheumatoid myopathy with rheumatoid arthritis of unspecified site
M05.411	Rheumatoid myopathy with rheumatoid arthritis of right shoulder
M05.412	Rheumatoid myopathy with rheumatoid arthritis of left shoulder
M05.419	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder
M05.421	Rheumatoid myopathy with rheumatoid arthritis of right elbow
M05.422	Rheumatoid myopathy with rheumatoid arthritis of left elbow
M05.429	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow
M05.431	Rheumatoid myopathy with rheumatoid arthritis of right wrist
M05.432	Rheumatoid myopathy with rheumatoid arthritis of left wrist
M05.439	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist

M05.441	Rheumatoid myopathy with rheumatoid arthritis of right hand
M05.442	Rheumatoid myopathy with rheumatoid arthritis of left hand
M05.449	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand
M05.451	Rheumatoid myopathy with rheumatoid arthritis of right hip
M05.452	Rheumatoid myopathy with rheumatoid arthritis of left hip
M05.459	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip
M05.461	Rheumatoid myopathy with rheumatoid arthritis of right knee
M05.462	Rheumatoid myopathy with rheumatoid arthritis of left knee
M05.469	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee
M05.471	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot
M05.472	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot
M05.479	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot
M05.49	Rheumatoid myopathy with rheumatoid arthritis of multiple sites
M05.50	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site
M05.511	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder
M05.512	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder
M05.519	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder
M05.521	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow
M05.522	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow
M05.529	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow
M05.531	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist
M05.532	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist
M05.539	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist
M05.541	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand
M05.542	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand
M05.549	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand
M05.551	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip
M05.552	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip
M05.559	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip
M05.561	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee
M05.562	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee
M05.569	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee
M05.571	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot
M05.572	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot
M05.579	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites
M05.60	Rheumatoid arthritis of unspecified site with involvement of other organs and systems
M05.611	Rheumatoid arthritis of right shoulder with involvement of other organs and systems
M05.612	Rheumatoid arthritis of left shoulder with involvement of other organs and systems

M05.619	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems
M05.621	Rheumatoid arthritis of right elbow with involvement of other organs and systems
M05.622	Rheumatoid arthritis of left elbow with involvement of other organs and systems
M05.629	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems
M05.631	Rheumatoid arthritis of right wrist with involvement of other organs and systems
M05.632	Rheumatoid arthritis of left wrist with involvement of other organs and systems
M05.639	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems
M05.641	Rheumatoid arthritis of right hand with involvement of other organs and systems
M05.642	Rheumatoid arthritis of left hand with involvement of other organs and systems
M05.649	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems
M05.651	Rheumatoid arthritis of right hip with involvement of other organs and systems
M05.652	Rheumatoid arthritis of left hip with involvement of other organs and systems
M05.659	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems
M05.661	Rheumatoid arthritis of right knee with involvement of other organs and systems
M05.662	Rheumatoid arthritis of left knee with involvement of other organs and systems
M05.669	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems
M05.671	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems
M05.672	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems
M05.679	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems
M05.69	Rheumatoid arthritis of multiple sites with involvement of other organs and systems
M05.7A	Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement
M05.711	Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement
M05.712	Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement
M05.719	Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement
M05.721	Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement
M05.722	Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement
M05.729	Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement
M05.731	Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement
M05.732	Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement
M05.739	Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement

M05.741	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement
M05.742	Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement
M05.749	Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement
M05.751	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement
M05.752	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement
M05.759	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement
M05.761	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement
M05.762	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement
M05.769	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement
M05.771	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement
M05.772	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement
M05.779	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement
M05.8A	Other rheumatoid arthritis with rheumatoid factor of other specified site
M05.811	Other rheumatoid arthritis with rheumatoid factor of right shoulder
M05.812	Other rheumatoid arthritis with rheumatoid factor of left shoulder
M05.819	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder
M05.821	Other rheumatoid arthritis with rheumatoid factor of right elbow
M05.822	Other rheumatoid arthritis with rheumatoid factor of left elbow
M05.829	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow
M05.831	Other rheumatoid arthritis with rheumatoid factor of right wrist
M05.832	Other rheumatoid arthritis with rheumatoid factor of left wrist
M05.839	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist
M05.841	Other rheumatoid arthritis with rheumatoid factor of right hand
M05.842	Other rheumatoid arthritis with rheumatoid factor of left hand
M05.849	Other rheumatoid arthritis with rheumatoid factor of unspecified hand
M05.851	Other rheumatoid arthritis with rheumatoid factor of right hip
M05.852	Other rheumatoid arthritis with rheumatoid factor of left hip
M05.859	Other rheumatoid arthritis with rheumatoid factor of unspecified hip
M05.861	Other rheumatoid arthritis with rheumatoid factor of right knee

Mo5.862	Other rheumatoid arthritis with rheumatoid factor of left knee
Mo5.869	Other rheumatoid arthritis with rheumatoid factor of unspecified knee
Mo5.871	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot
Mo5.872	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot
Mo5.879	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot
Mo5.89	Other rheumatoid arthritis with rheumatoid factor of multiple sites
Mo5.9	Rheumatoid arthritis with rheumatoid factor, unspecified
Mo6.0A	Rheumatoid arthritis without rheumatoid factor, other specified site
Mo6.011	Rheumatoid arthritis without rheumatoid factor, right shoulder
Mo6.012	Rheumatoid arthritis without rheumatoid factor, left shoulder
Mo6.019	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder
Mo6.021	Rheumatoid arthritis without rheumatoid factor, right elbow
Mo6.022	Rheumatoid arthritis without rheumatoid factor, left elbow
Mo6.029	Rheumatoid arthritis without rheumatoid factor, unspecified elbow
Mo6.031	Rheumatoid arthritis without rheumatoid factor, right wrist
Mo6.032	Rheumatoid arthritis without rheumatoid factor, left wrist
Mo6.039	Rheumatoid arthritis without rheumatoid factor, unspecified wrist
Mo6.041	Rheumatoid arthritis without rheumatoid factor, right hand
Mo6.042	Rheumatoid arthritis without rheumatoid factor, left hand
Mo6.049	Rheumatoid arthritis without rheumatoid factor, unspecified hand
Mo6.051	Rheumatoid arthritis without rheumatoid factor, right hip
Mo6.052	Rheumatoid arthritis without rheumatoid factor, left hip
Mo6.059	Rheumatoid arthritis without rheumatoid factor, unspecified hip
Mo6.061	Rheumatoid arthritis without rheumatoid factor, right knee
Mo6.062	Rheumatoid arthritis without rheumatoid factor, left knee
Mo6.069	Rheumatoid arthritis without rheumatoid factor, unspecified knee
Mo6.071	Rheumatoid arthritis without rheumatoid factor, right ankle and foot
Mo6.072	Rheumatoid arthritis without rheumatoid factor, left ankle and foot
Mo6.079	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot
Mo6.08	Rheumatoid arthritis without rheumatoid factor, vertebrae
Mo6.09	Rheumatoid arthritis without rheumatoid factor, multiple sites
Mo6.8A	Other specified rheumatoid arthritis, other specified site
Mo6.811	Other specified rheumatoid arthritis, right shoulder
Mo6.812	Other specified rheumatoid arthritis, left shoulder
Mo6.819	Other specified rheumatoid arthritis, unspecified shoulder
Mo6.821	Other specified rheumatoid arthritis, right elbow
Mo6.822	Other specified rheumatoid arthritis, left elbow
Mo6.829	Other specified rheumatoid arthritis, unspecified elbow
Mo6.831	Other specified rheumatoid arthritis, right wrist



Mo6.832	Other specified rheumatoid arthritis, left wrist
Mo6.839	Other specified rheumatoid arthritis, unspecified wrist
Mo6.841	Other specified rheumatoid arthritis, right hand
Mo6.842	Other specified rheumatoid arthritis, left hand
Mo6.849	Other specified rheumatoid arthritis, unspecified hand
Mo6.851	Other specified rheumatoid arthritis, right hip
Mo6.852	Other specified rheumatoid arthritis, left hip
Mo6.859	Other specified rheumatoid arthritis, unspecified hip
Mo6.861	Other specified rheumatoid arthritis, right knee
Mo6.862	Other specified rheumatoid arthritis, left knee
Mo6.869	Other specified rheumatoid arthritis, unspecified knee
Mo6.871	Other specified rheumatoid arthritis, right ankle and foot
Mo6.872	Other specified rheumatoid arthritis, left ankle and foot
Mo6.879	Other specified rheumatoid arthritis, unspecified ankle and foot
Mo6.88	Other specified rheumatoid arthritis, vertebrae
Mo6.89	Other specified rheumatoid arthritis, multiple sites
Mo6.9	Rheumatoid arthritis, unspecified
Mo8.0A	Unspecified juvenile rheumatoid arthritis, other specified site
Mo8.011	Unspecified juvenile rheumatoid arthritis, right shoulder
Mo8.012	Unspecified juvenile rheumatoid arthritis, left shoulder
Mo8.019	Unspecified juvenile rheumatoid arthritis, unspecified shoulder
Mo8.021	Unspecified juvenile rheumatoid arthritis, right elbow
Mo8.022	Unspecified juvenile rheumatoid arthritis, left elbow
Mo8.029	Unspecified juvenile rheumatoid arthritis, unspecified elbow
Mo8.031	Unspecified juvenile rheumatoid arthritis, right wrist
Mo8.032	Unspecified juvenile rheumatoid arthritis, left wrist
Mo8.039	Unspecified juvenile rheumatoid arthritis, unspecified wrist
Mo8.041	Unspecified juvenile rheumatoid arthritis, right hand
Mo8.042	Unspecified juvenile rheumatoid arthritis, left hand
Mo8.049	Unspecified juvenile rheumatoid arthritis, unspecified hand
Mo8.051	Unspecified juvenile rheumatoid arthritis, right hip
Mo8.052	Unspecified juvenile rheumatoid arthritis, left hip
Mo8.059	Unspecified juvenile rheumatoid arthritis, unspecified hip
Mo8.061	Unspecified juvenile rheumatoid arthritis, right knee
Mo8.062	Unspecified juvenile rheumatoid arthritis, left knee
Mo8.069	Unspecified juvenile rheumatoid arthritis, unspecified knee
Mo8.071	Unspecified juvenile rheumatoid arthritis, right ankle and foot
Mo8.072	Unspecified juvenile rheumatoid arthritis, left ankle and foot
Mo8.079	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot

Mo8.08	Unspecified juvenile rheumatoid arthritis, vertebrae
Mo8.09	Unspecified juvenile rheumatoid arthritis, multiple sites
Mo8.2A	Juvenile rheumatoid arthritis with systemic onset, other specified site
Mo8.211	Juvenile rheumatoid arthritis with systemic onset, right shoulder
Mo8.212	Juvenile rheumatoid arthritis with systemic onset, left shoulder
Mo8.219	Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder
Mo8.221	Juvenile rheumatoid arthritis with systemic onset, right elbow
Mo8.222	Juvenile rheumatoid arthritis with systemic onset, left elbow
Mo8.229	Juvenile rheumatoid arthritis with systemic onset, unspecified elbow
Mo8.231	Juvenile rheumatoid arthritis with systemic onset, right wrist
Mo8.232	Juvenile rheumatoid arthritis with systemic onset, left wrist
Mo8.239	Juvenile rheumatoid arthritis with systemic onset, unspecified wrist
Mo8.241	Juvenile rheumatoid arthritis with systemic onset, right hand
Mo8.242	Juvenile rheumatoid arthritis with systemic onset, left hand
Mo8.249	Juvenile rheumatoid arthritis with systemic onset, unspecified hand
Mo8.251	Juvenile rheumatoid arthritis with systemic onset, right hip
Mo8.252	Juvenile rheumatoid arthritis with systemic onset, left hip
Mo8.259	Juvenile rheumatoid arthritis with systemic onset, unspecified hip
Mo8.261	Juvenile rheumatoid arthritis with systemic onset, right knee
Mo8.262	Juvenile rheumatoid arthritis with systemic onset, left knee
Mo8.269	Juvenile rheumatoid arthritis with systemic onset, unspecified knee
Mo8.271	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot
Mo8.272	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot
Mo8.279	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot
Mo8.28	Juvenile rheumatoid arthritis with systemic onset, vertebrae
Mo8.29	Juvenile rheumatoid arthritis with systemic onset, multiple sites
Mo8.3	Juvenile rheumatoid polyarthritis (seronegative)
Mo8.3	Juvenile rheumatoid polyarthritis (seronegative)
Mo8.4A	Pauciarticular juvenile rheumatoid arthritis, other specified site
Mo8.411	Pauciarticular juvenile rheumatoid arthritis, right shoulder
Mo8.412	Pauciarticular juvenile rheumatoid arthritis, left shoulder
Mo8.419	Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder
Mo8.421	Pauciarticular juvenile rheumatoid arthritis, right elbow
Mo8.422	Pauciarticular juvenile rheumatoid arthritis, left elbow
Mo8.429	Pauciarticular juvenile rheumatoid arthritis, unspecified elbow
Mo8.431	Pauciarticular juvenile rheumatoid arthritis, right wrist
Mo8.432	Pauciarticular juvenile rheumatoid arthritis, left wrist
Mo8.439	Pauciarticular juvenile rheumatoid arthritis, unspecified wrist
Mo8.441	Pauciarticular juvenile rheumatoid arthritis, right hand

Mo8.442	Pauciarticular juvenile rheumatoid arthritis, left hand
Mo8.449	Pauciarticular juvenile rheumatoid arthritis, unspecified hand
Mo8.451	Pauciarticular juvenile rheumatoid arthritis, right hip
Mo8.452	Pauciarticular juvenile rheumatoid arthritis, left hip
Mo8.459	Pauciarticular juvenile rheumatoid arthritis, unspecified hip
Mo8.461	Pauciarticular juvenile rheumatoid arthritis, right knee
Mo8.462	Pauciarticular juvenile rheumatoid arthritis, left knee
Mo8.469	Pauciarticular juvenile rheumatoid arthritis, unspecified knee
Mo8.471	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot
Mo8.472	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot
Mo8.479	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot
Mo8.48	Pauciarticular juvenile rheumatoid arthritis, vertebrae
Mo8.80	Other juvenile arthritis, unspecified site
Mo8.811	Other juvenile arthritis, right shoulder
Mo8.812	Other juvenile arthritis, left shoulder
Mo8.819	Other juvenile arthritis, unspecified shoulder
Mo8.821	Other juvenile arthritis, right elbow
Mo8.822	Other juvenile arthritis, left elbow
Mo8.829	Other juvenile arthritis, unspecified elbow
Mo8.831	Other juvenile arthritis, right wrist
Mo8.832	Other juvenile arthritis, left wrist
Mo8.839	Other juvenile arthritis, unspecified wrist
Mo8.841	Other juvenile arthritis, right hand
Mo8.842	Other juvenile arthritis, left hand
Mo8.849	Other juvenile arthritis, unspecified hand
Mo8.851	Other juvenile arthritis, right hip
Mo8.852	Other juvenile arthritis, left hip
Mo8.859	Other juvenile arthritis, unspecified hip
Mo8.861	Other juvenile arthritis, right knee
Mo8.862	Other juvenile arthritis, left knee
Mo8.869	Other juvenile arthritis, unspecified knee
Mo8.871	Other juvenile arthritis, right ankle and foot
Mo8.872	Other juvenile arthritis, left ankle and foot
Mo8.879	Other juvenile arthritis, unspecified ankle and foot
Mo8.88	Other juvenile arthritis, other specified site
Mo8.89	Other juvenile arthritis, multiple sites
Mo8.9A	Juvenile arthritis, unspecified, other specified site
Mo8.911	Juvenile arthritis, unspecified, right shoulder
Mo8.912	Juvenile arthritis, unspecified, left shoulder

Mo8.919	Juvenile arthritis, unspecified, unspecified shoulder
Mo8.921	Juvenile arthritis, unspecified, right elbow
Mo8.922	Juvenile arthritis, unspecified, left elbow
Mo8.929	Juvenile arthritis, unspecified, unspecified elbow
Mo8.931	Juvenile arthritis, unspecified, right wrist
Mo8.932	Juvenile arthritis, unspecified, left wrist
Mo8.939	Juvenile arthritis, unspecified, unspecified wrist
Mo8.941	Juvenile arthritis, unspecified, right hand
Mo8.942	Juvenile arthritis, unspecified, left hand
Mo8.949	Juvenile arthritis, unspecified, unspecified hand
Mo8.951	Juvenile arthritis, unspecified, right hip
Mo8.952	Juvenile arthritis, unspecified, left hip
Mo8.959	Juvenile arthritis, unspecified, unspecified hip
Mo8.961	Juvenile arthritis, unspecified, right knee
Mo8.962	Juvenile arthritis, unspecified, left knee
Mo8.969	Juvenile arthritis, unspecified, unspecified knee
Mo8.971	Juvenile arthritis, unspecified, right ankle and foot
Mo8.972	Juvenile arthritis, unspecified, left ankle and foot
Mo8.979	Juvenile arthritis, unspecified, unspecified ankle and foot
Mo8.98	Juvenile arthritis, unspecified, vertebrae
Mo8.99	Juvenile arthritis, unspecified, multiple sites
T86.09	Other complications of bone marrow transplant
Z94.81	Bone marrow transplant status